



# WatchGuard® XCS

## Hardware Guide

---

XCS 280, 580

BL5E4E3

---

## Copyright Information

Copyright© 2013 WatchGuard Technologies, Inc. All rights reserved.

WatchGuard, the WatchGuard logo, LiveSecurity, and any other mark listed as a trademark in the “Terms of Use” portion of the WatchGuard Web site that is used herein are either registered trademarks or trademarks of WatchGuard Technologies, Inc. and/or its subsidiaries in the United States and/or other countries. All other trademarks are the property of their respective owners.

Part Number: 275-4475-001 Rev C

Revised: August 29, 2013

Complete copyright, trademark, patent, and licensing information can be found in the WatchGuard product documentation. You can find this document online at:

<http://www.watchguard.com/help/documentation/>

## Notice to Users

Information in this guide is subject to change without notice. Updates to this document are posted on the WatchGuard web site, at <http://www.watchguard.com/help/documentation>. Companies, names, and data used in examples herein are fictitious unless otherwise noted. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of WatchGuard Technologies, Inc.

---

## ABOUT WATCHGUARD

WatchGuard offers affordable, all-in-one network and content security solutions that provide defense-in-depth and help meet regulatory compliance requirements. The WatchGuard XTM line combines firewall, VPN, GAV, IPS, spam blocking and URL filtering to protect your network from spam, viruses, malware, and intrusions. The new XCS line offers email and web content security combined with data loss prevention. WatchGuard extensible solutions scale to offer right-sized security ranging from small businesses to enterprises with 10,000+ employees. WatchGuard builds simple, reliable, and robust security appliances featuring fast implementation and comprehensive management and reporting tools. Enterprises throughout the world rely on our signature red boxes to maximize security without sacrificing efficiency and productivity.

For more information, please call 206.613.6600 or visit [www.watchguard.com](http://www.watchguard.com).

### ADDRESS

505 Fifth Avenue South  
Suite 500  
Seattle, WA 98104

### SUPPORT

[www.watchguard.com/support](http://www.watchguard.com/support)  
U.S. and Canada +877.232.3531  
All Other Countries +1.206.521.3575

### SALES

U.S. and Canada +1.800.734.9905  
All Other Countries +1.206.613.0895

# Hardware Specifications

---

The WatchGuard® XCS appliance is an easy-to-use, all-inclusive email and web appliance that provides security and privacy of inbound and outbound traffic. It is the first product that provides correlated content security and threat prevention with consolidated administration and reporting across multiple protocols.

The WatchGuard XCS provides content security that enables data loss prevention, encryption and content filtering with integrated threat prevention for viruses, spam, spyware, phishing, and malware attacks, all in a secured appliance.

## Secure Operating System

---

The WatchGuard XCS delivers the most complete security available for messaging systems. The appliance runs on a customized secure operating system that does not allow uncontrolled access to the system. There is no command line access and the WatchGuard XCS runs as a closed system, preventing accidental or deliberate misconfiguration by administrators, which is a common cause of security vulnerabilities.

## Package Contents

---

- XCS device
- Quick Start Guide
- Hardware warranty card and LiveSecurity® Service activation card
- Power cord
- Ear Bracket Screw Set

# About Your Hardware

## Hardware Specifications

	<b>XCS 280</b>	<b>XCS 580</b>
<b>Processor</b>	Single Core 2.6GHz Intel E5300 800 FSB, LGA775, 2M Cache	Dual Core 2.6GHz Intel E5300 800 FSB, LGA775, 2M Cache
<b>Memory</b>	4GB (1 x 4 GB) DDR3 STD DIMM	4GB (1 x 4 GB) DDR3 STD DIMM
<b>Hard Drives</b>	320 GB SATA	320 GB SATA
<b>Power supply</b>	Universal Power Supply 220W, 100–240 VAC, 1.2A MAX, 50/60 Hz, Autosensing	Universal Power Supply 220W, 100–240 VAC, 1.2A MAX, 50/60 Hz, Autosensing
<b>Network Interfaces</b>	3 x Intel 82583V GBe (Onboard)	3 x Intel 82583V GBe (Onboard)
<b>USB Ports</b>	2 x USB ports	2 x USB ports
<b>I/O Interfaces</b>	1 x SATA 1 x PS/2 Mouse 1 x PS/2 Keyboard 1 x VGA DB15 1 x Serial DB9	1 x SATA 1 x PS/2 Mouse 1 x PS/2 Keyboard 1 x VGA DB15 1 x Serial DB9
<b>Dimensions</b>	D=10.9" (305 mm) W=16.9" (431 mm) H=1.7" (44 mm)	D=10.9" (305 mm) W=16.9" (431 mm) H=1.7" (44 mm)
<b>Weight</b>	15.4 lbs (7 kg)	15.4 lbs (7 kg)

## Environmental Requirements

To safely install your XCS device, we recommend that you:

- Install it in a network rack.
- Put it in a secure area, such as a locked room, to keep the device from people who do not have permission to use it.
- Connect it to a conditioned power supply to prevent damage from sudden power changes.

Other environmental requirements for the WatchGuard XCS device:

Operating temperature	0 – 40°C (32 – 104°F)
Non-operating temperature	-20 – 70°C (-4 – 158°F)
Operating and Non-operating relative humidity	5% – 90% Non-condensing

# Hardware Description

## Front View

The front of the XCS device.



This is a close-up of the LED panel.



### Power Button

Press the power button to power on and off the device. Before you power off your device, make sure your operating system is correctly shut down. Hold the power button for at least five seconds to force a power off.

### Power Indicator

The power indicator lights when power is supplied to the device and the device is operational.

### Hard Disk Activity

The hard disk activity indicator flashes when the disk drive is active.

### Network Interface Activity (NIC1)

The network interface activity indicators flash when network activity is detected on the first onboard network interface.

### Network Interface Activity (NIC2)

The network interface activity indicators flash when network activity is detected on the second onboard network interface.

### Network Interface Activity (NIC3)

The network interface activity indicators flash when network activity is detected on the third onboard network interface.

## Rear View

This is a close-up of the rear of the device.



### PS/2 Ports

Two PS/2 ports are available to connect a keyboard and mouse for use with the XCS device console.

### USB Interfaces

There are two USB interfaces that support additional peripherals, for example a USB keyboard (for use with the XCS device console), and a USB DVD/CD-ROM drive.

### Serial Port

You can use a DB9 connector for the serial port (COM1) to connect a UPS (Uninterruptible Power Supply). The serial port can also be used to connect to the serial console if you do not have a monitor and a keyboard.

### VGA Video Interface (Console)

You can use the VGA video connector to connect a monitor and view the XCS device console screen.

### AC Receptacle

Accepts a detachable AC power cord supplied with the device.

### Power Supply Fan

The fans decrease the internal temperature of the device.



### Caution

You must disconnect the power supply before you remove the cover of the XCS device. If you open the cover without prior authorization from WatchGuard, the Hardware Warranty is voided.

## Network Interfaces

This is a close-up of the network interfaces on the rear of the device.

### Onboard Network Interfaces

The XCS device has three onboard network interfaces. The network interfaces have standard RJ45 connectors.



### Network Interface Indicators

Each network interface has a pair of indicators. The left indicator is the activity indicator for the interface. The right indicator shows the connection speed for the interface.

Indicator	Indicator Color	Interface Status
<b>Activity (Left)</b>	Not lit	No connection
	Amber	Connection established
	Blinks	Network activity, data sent and received
<b>Connection Speed (Right)</b>	Not lit	Operates at 10 Mbps or no link
	Green	Operates at 100 Mbps
	Amber	Operates at 1000 Mbps



---

## Rack Mount Instructions

---

When you install the XCS device in a rack, make sure you consider:

**Elevated Operating Ambient Temperature**

If you install the XCS device in a closed or multi-unit rack assembly, the operating ambient temperature of the rack environment could be greater than the ambient temperature of the room. The XCS device is certified to operate correctly between 32–104°F (0–40°C).

**Reduced Air Flow**

When you install the XCS device in a rack, make sure that the amount of air flow required for safe operation of the equipment is not compromised.

**Mechanical Loading**

When you mount the XCS device in the rack, avoid hazardous conditions caused by an uneven mechanical load.

**Circuit Overloading**

Make sure you connect the XCS device to the power supply circuit in such a way that no circuits are overloaded and there is no impact on overcurrent protection and supply wiring.

**Reliable Grounding**

Make sure all rack-mounted equipment is correctly grounded. For example, use power strips instead of direct connections to the branch circuit.



# Legal and Regulatory Information

---

## Limited Hardware Warranty

---

This Limited Hardware Warranty (the “Warranty”) applies to the enclosed WatchGuard hardware product, not including any associated software which is licensed pursuant to a separate end-user license agreement and warranty (the “Product”). BY USING THE PRODUCT, YOU (either an individual or a single entity) AGREE TO THE TERMS HEREOF. If you do not agree to these terms, please return this package, along with proof of purchase, to the authorized dealer from which you purchased it for a full refund. WatchGuard Technologies, Inc. (“WatchGuard”) and you agree as set forth below or on the reverse side of this card, as applicable:

1. LIMITED WARRANTY. WatchGuard warrants that upon delivery and for one (1) year thereafter (the “Warranty Period”): (a) the Product will be free from material defects in materials and workmanship, and (b) the Product, when properly installed and used for its intended purpose and in its intended operating environment, will perform substantially in accordance with WatchGuard applicable specifications.

This warranty does not apply to any Product that has been: (i) altered, repaired or modified by any party other than WatchGuard except for the replacement or inclusion of specified components authorized in and performed in strict accordance with documentation provided by WatchGuard; or (ii) damaged or destroyed by accidents, power spikes or similar events or by any intentional, reckless or negligent acts or omissions of any party. You may have additional warranties with respect to the Product from the manufacturers of Product components. However, you agree not to look to WatchGuard for, and hereby release WatchGuard from any liability for, performance of, enforcement of, or damages or other relief on account of, any such warranties or any breach thereof.

2. REMEDIES. If any Product does not comply with the WatchGuard warranties set forth in Section 1 above, WatchGuard will, following receipt of the product you claim is defective and at its option, either (a) repair the Product, or (b) replace the Product; provided, that you will be responsible for returning the Product and for all costs of shipping and handling. Repair or replacement of the Product shall not extend the Warranty Period. Any Product, component, part or other item replaced by WatchGuard becomes the property of WatchGuard. WatchGuard shall not be responsible for return of or damage to any software, firmware, information or data contained in, stored on, or integrated with any returned Products.

3. DISCLAIMER AND RELEASE. THE WARRANTIES, OBLIGATIONS AND LIABILITIES OF WATCHGUARD, AND YOUR REMEDIES, SET FORTH IN PARAGRAPHS 1 AND 2 ABOVE ARE EXCLUSIVE AND IN SUBSTITUTION FOR, AND YOU HEREBY WAIVE, DISCLAIM AND RELEASE ANY AND ALL OTHER WARRANTIES, OBLIGATIONS AND LIABILITIES OF WATCHGUARD AND ALL OTHER RIGHTS, CLAIMS AND REMEDIES YOU MAY HAVE AGAINST WATCHGUARD, EXPRESS OR IMPLIED, ARISING BY LAW OR OTHERWISE, WITH RESPECT TO ANY NONCONFORMANCE OR DEFECT IN THE PRODUCT (INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ANY IMPLIED WARRANTY ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR USAGE OF TRADE, ANY WARRANTY OF NONINFRINGEMENT, ANY WARRANTY OF UNINTERRUPTED OR ERROR-FREE OPERATION, ANY OBLIGATION, LIABILITY, RIGHT, CLAIM OR REMEDY IN TORT, WHETHER OR NOT ARISING FROM THE NEGLIGENCE (WHETHER ACTIVE, PASSIVE OR IMPUTED) OR FAULT OF WATCHGUARD OR FROM PRODUCT LIABILITY, STRICT LIABILITY OR OTHER THEORY, AND ANY OBLIGATION, LIABILITY, RIGHT, CLAIM OR REMEDY FOR LOSS OR DAMAGE TO, OR CAUSED BY OR CONTRIBUTED TO BY, THE PRODUCT).

4. LIMITATION AND LIABILITY. WATCHGUARD'S LIABILITY (WHETHER ARISING IN CONTRACT (INCLUDING WARRANTY), TORT (INCLUDING ACTIVE, PASSIVE OR IMPUTED NEGLIGENCE AND STRICT LIABILITY AND FAULT) OR OTHER THEORY) WITH REGARD TO ANY PRODUCT WILL IN NO EVENT EXCEED THE PURCHASE PRICE PAID BY YOU FOR SUCH PRODUCT. THIS SHALL BE TRUE EVEN IN THE EVENT OF THE FAILURE OF ANY AGREED REMEDY. IN NO EVENT WILL WATCHGUARD BE LIABLE TO YOU OR ANY THIRD PARTY (WHETHER ARISING IN CONTRACT (INCLUDING WARRANTY), TORT (INCLUDING ACTIVE, PASSIVE OR IMPUTED NEGLIGENCE AND STRICT LIABILITY AND FAULT) OR OTHER THEORY) FOR COST OF COVER OR FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOSS OF PROFITS, BUSINESS, OR DATA) ARISING OUT OF OR IN CONNECTION WITH THIS WARRANTY OR THE USE OF OR INABILITY TO USE THE PRODUCT, EVEN IF WATCHGUARD HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THIS SHALL BE TRUE EVEN IN THE EVENT OF THE FAILURE OF ANY AGREED REMEDY.

5. MISCELLANEOUS PROVISIONS. This Warranty will be governed by the laws of the state of Washington, U.S.A., without reference to its choice of law rules. The provisions of the 1980 United Nations Convention on Contracts for the International Sales of Goods, as amended, shall not apply. You agree not to directly or indirectly transfer the Product or associated documentation to any country to which such transfer would be prohibited by the U.S. Export laws and regulations. If any provision of this Warranty is found to be invalid or unenforceable, then the remainder shall have full force and effect and the invalid provision shall be modified or partially enforced to the maximum extent permitted by law to effectuate the purpose of this Warranty. This is the entire agreement between WatchGuard and you relating to the Product, and supersedes any prior purchase order, communications, advertising or representations concerning the Product AND BY USING THE PRODUCT YOU AGREE TO THESE TERMS. IF THE PRODUCT IS BEING USED BY AN ENTITY, THE INDIVIDUAL INDICATING AGREEMENT TO THESE TERMS BY USING THE PRODUCT REPRESENTS AND WARRANTS THAT (A) SUCH INDIVIDUAL IS DULY AUTHORIZED TO ACCEPT THE WARRANTY ON BEHALF OF THE ENTITY AND TO BIND THE ENTITY TO THE TERMS OF THIS WARRANTY; (B) THE ENTITY HAS THE FULL POWER, CORPORATE OR OTHERWISE, TO ENTER INTO THE WARRANTY AND PERFORM ITS OBLIGATIONS UNDER THE WARRANTY AND; (C) THE WARRANTY AND THE PERFORMANCE OF THE ENTITY'S OBLIGATIONS UNDER THE WARRANTY DO NOT VIOLATE ANY THIRD-PARTY AGREEMENT TO WHICH THE ENTITY IS A PARTY. No change or modification of the Warranty will be valid unless it is in writing and is signed by WatchGuard.

# Declaration of Conformity

## DECLARATION OF CONFORMITY

WatchGuard Technologies, Inc.,  
505 Fifth Ave. S., Suite 500  
Seattle, WA 98104-3892 USA

WatchGuard Technologies Inc. hereby declares that the product(s) listed below conform to the European Union directives and standards identified in this declaration.

**Product(s):**

WatchGuard Models: XCS280 and XCS580 (BL5E4E3)

**EU Directive(s):**

Low Voltage (2006/95/EC)  
Electromagnetic Compatibility (2004/108/EC)  
RoHS (2002/95/EC)

**Standard(s):**

<b>Safety:</b>	EN 60950-1:2006+A11+A1+A12
<b>Emission:</b>	EN 55022:2010 FCC Part 15 Subpart B:2011 Class A ICES-003:2004 CISPR 22:2008 Class A VCCI V-3/2011.04 Class A AS/NZS CISPR 22:2009 BSMI CNS 13438:2006 EN 61000-3-2:2006+A2:2009 EN 61000-3-3:2008
<b>Immunity:</b>	EN 55024:2010 EN 61000-4-2:2009 EN 61000-4-3:2006+A2:2010 EN 61000-4-4:2004+A1:2010 EN 61000-4-5:2006 EN 61000-4-6:2009 EN 61000-4-8:2010 EN 61000-4-11:2004




Signature:  
Full Name: Steve Zirschky  
Position: Corporate Officer  
Date: 10 October 2012

366-4475-001 Rev B

## Safety Notices

---

All WatchGuard products are designed and tested to meet strict safety requirements. These requirements include product safety approvals and other global compliance standards. Please read the following instructions carefully before operating the product, and refer to them as needed to ensure the continued safe operation of your product.

### Product Safety Certification

The WatchGuard product is safety certified under the following standards:

- CAN/CSA C22.2 No.60950-1-07+A1:2011
- IEC 60950-1+Amd1 2nd Edition (2005)
- UL 60950-1:2007 R12.11
- EN 60950-1:2006+A11+A1+A12

### Safety Warning

- Do not place objects on the power cord.
- Do not obstruct the ventilation openings. These openings prevent overheating of the machine.
- Never push objects of any kind into slots or openings on this equipment. Making a contact with a voltage point or shorting out a part may result in fire or electrical shock.
- When removing or installing an appliance, follow the general installation safety instructions.
- If the equipment is supplied with a three-conductor AC power cable, the power cable must be plugged into an approved three-contact electrical outlet with the grounding wire connected to an electrical ground (safety ground) at the power outlet.
- The Lithium Battery used in the security appliance may not be replaced by the user. Return the appliance to a WatchGuard authorized service center for replacement with the same or equivalent type recommended by the manufacturer. If, for any reason, the battery or security appliance must be disposed of, do so following the battery manufacturer's instructions.

## HINWEISE ZUR SICHERHEIT

Alle WatchGuard Produkte werden entwickelt und getestet, um strenge Sicherheitsanforderungen zu erfüllen. Diese Anforderungen umfassen Produktsicherheit Zulassungen und andere globale Compliance-Standards. Bitte lesen Sie die folgenden Anweisungen sorgfältig, bevor Sie das Produkt, und bezeichnen sie als notwendig, um den sicheren Betrieb des Geräts zu gewährleisten.

### Product Safety Certification

Die WatchGuard Produkt ist Sicherheit unter den folgenden Normen zertifiziert:

- CAN/CSA C22.2 No.60950-1-07+A1:2011
- IEC 60950-1+Amd1 2nd Edition (2005)
- UL 60950-1:2007 R12.11
- EN 60950-1:2006+A11+A1+A12

### Sicherheitshinweis

- Legen Sie keine Gegenstände auf das Netzkabel.
- Verdecken Sie nicht die Lüftungsöffnungen. Diese Öffnungen verhindern eine Überhitzung der Maschine.

- Stecken Sie niemals Gegenstände jeglicher Art in die Schlitz- oder Öffnungen des Geräts stecken. Der Kontakt mit einem spannungsführenden Punkt oder das Kurzschließen eines Bauteils kann zu einem Brand oder elektrischen Schlag führen.
- Beim Entfernen oder Installieren eines Gerätes, nach den allgemeinen Installation Sicherheitshinweise.
- Wenn das Gerät mit einem Drei-Leiter-Netzkabel geliefert wird, muss das Netzkabel eingesteckt werden in ein zugelassenes dreipoligen Steckdose mit dem Erdleiter verbunden mit einer elektrischen Masse (Erdung) an der Steckdose.
- Die Lithium-Batterie in der Sicherheits-Appliance verwendet werden kann durch den Anwender nicht ausgetauscht werden. Bringen Sie das Gerät an eine WatchGuard autorisiertes Service-Center für den Austausch mit dem gleichen oder gleichwertigen Typ, der vom Hersteller empfohlen wird. Wenn aus irgendeinem Grund muss die Batterie oder Security Appliance entsorgt werden, also nach der Batterie Anweisungen des Herstellers.

## **AVISO DE SEGURIDAD**

Todos los productos WatchGuard están diseñados y probados para satisfacer estrictos requisitos de seguridad. Estos requisitos incluyen la homologación de productos de seguridad y otras normas de cumplimiento global. Por favor, lea atentamente las siguientes instrucciones antes de utilizar el producto, y se refieren a ellos como sea necesario para garantizar el funcionamiento seguro y continuo de su producto.

Certificación de seguridad del producto

El producto tiene certificación de seguridad WatchGuard bajo las siguientes normas:

- CAN/CSA C22.2 No.60950-1-07+A1:2011
- IEC 60950-1+Amd1 2nd Edition (2005)
- UL 60950-1:2007 R12.11
- EN 60950-1:2006+A11+A1+A12

Advertencia de seguridad

- No coloque objetos sobre el cable de alimentación.
- No obstruya las aberturas de ventilación. Estas aberturas evitan el sobrecalentamiento de la máquina.
- Nunca introduzca objetos de ningún tipo en las ranuras o aberturas del equipo. El contacto con puntos de voltaje o el cortocircuito de una pieza podría provocar un incendio o una descarga eléctrica.
- Al extraer o instalar un electrodoméstico, siga las instrucciones generales de instalación de seguridad.
- Si el equipo se suministra con un cable de tres conductores de alimentación de CA, el cable de alimentación debe enchufarse a un tomacorriente aprobado tres contacto eléctrico con el cable de tierra conectado a un polo de tierra (tierra de seguridad) en la toma de corriente.
- La batería de litio utilizada en el dispositivo de seguridad no podrá ser sustituido por el usuario. Devuelva el aparato a un centro de servicio autorizado de WatchGuard para el reemplazo con el mismo tipo o equivalente recomendada por el fabricante. Si, por cualquier razón, el aparato de la batería o de seguridad deben ser eliminados, se deben seguir las instrucciones del fabricante de la batería.

## FCC Certification

---

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.



## CE Notice

---

The CE symbol on your WatchGuard Technologies equipment indicates that it is in compliance with the Electromagnetic Compatibility (EMC) directive and the Low Voltage Directive (LVD) of the European Union (EU).



## Industry Canada

---

This device complies with RSS-210 of the Industry Canada Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Ce dispositif est conforme à la norme CNR-210 d'Industrie Canada applicable aux appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.



## Japan VCCI Notice

この装置は、クラスA 情報技術装置です。この装置を家庭環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。

## Mexico Notice

La operación de este equipo está sujeta a las siguientes dos condiciones:

1. es posible que este equipo o dispositivo no cause interferencia perjudicial y
2. este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su propia operación no deseada.

## Taiwan Notice

警告使用者: 這是甲類的資訊產品, 在居住的環境中使用時, 可能會造成射頻干擾, 在這種情況下, 使用者會被要求採取某些適當的對策。

## Korea Notice

### 사용자안내문

(User Information)

기종별	사용자안내문
A 급 기기 (업무용 방송통신기자재)	이 기기는 업무용(A 급) 전자파적합기기로서 판매자 또는 사용자는 이 점을 주의하시기 바라며, 가정외의 지역에서 사용하는 것을 목적으로 합니다.

# People’s Republic of China Electronic Industry Standard

This table is presented in accordance with SJ/T11364-2006, Marking for Control of Pollution Caused by Electronic Information Products, implemented in November 2006.

**Management Methods on Control of Pollution From Electronic Information Products  
(China RoHS declaration)  
產品中有毒有害物質的名稱及含量  
Hazardous Substances Table**

部件名稱 Parts	有毒有害物質或元素(Hazardous Substance)					
	鉛 (Pb)	汞 (Hg)	鎘 (Cd)	六價鉻 (Cr6+)	多溴聯苯 (PBB)	多溴二苯 醚(PBDE)
板金件(Metal)	O	O	O	O	O	O
PCBA 板(PCBA Component)	X	O	O	O	O	O
開關電源(Power supply)	X	O	O	O	O	O
微處理器(CPU)	O	O	O	O	O	O
記憶模組(RAM Module)	X	O	O	O	O	O
風扇(Fan)	X	O	O	O	O	O

○：表示該有毒有害物質在該部件所有均質材料中的含量均在 SJ/T 11363-2006 標準規定的限量要求以下。  
 ○：Indicates that this hazardous substance contained in all homogeneous materials of this part is below the limit requirement in SJ/T 11363-2006.  
 x：表示該有毒有害物質至少在該部件的某一均質材料中的含量超出 SJ/T 11363-2006 標準規定的限量要求。  
 x：Indicates that this hazardous substance contained in at least one of the homogeneous materials of this part is above the limit requirement in SJ/T 11363-2006.  
 對銷售之日的所售產品,本表顯示我公司供應鏈的電子資訊產品可能包含這些物質。注意：在所售產品中可能會也可能不會含有所有所列的部件。  
 This table shows where these substances may be found in the supply chain of our electronic information products, as of the date of sale of the enclosed product.  
 Note that some of the component types listed above may or may not be a part of the enclosed product.

## RoHS Statement

The member states of the European Union approved directive 2002/95/EC, Restrictions of Hazardous Substances (“RoHS directive”) that became valid on July 1, 2006. It states that all new electrical and electronic equipment put on the market within the member states must not contain certain hazardous materials. The WatchGuard XCS complies with the European Union’s R0HS directive 2002/95/EC and similar regulations that may be adopted by other countries for European Sales.

---

## WEEE Statement

---

WEEE is a general set of requirements dictated in the EU Directive 2002/96/EC. This Directive mandated that member EU countries enact regulations governing the Waste of Electrical and Electronic Equipment (WEEE). The Directive, and its individual transpositions into specific country laws and legislation, is aimed at the reduction of WEEE through reuse, recovery, and recycling of WEEE.

WatchGuard is working in partnership with our European Union (EU) distribution partners to ensure that our products are in compliance with the WEEE statutes, and that the recovery of our product per the specific EU country legislative requirements is seamless for our product's end users. If you have a WatchGuard product that is at its end of life and needs to be disposed of, please contact WatchGuard Customer Care Department at:

U.S. Customers: 877.232.3531

International Customers: +1.206.613.0456

WatchGuard is reasonably confident that our products do not contain any substances or hazardous materials presently banned by any legislation, and do not present a risk due to hazardous materials. WEEE recovery professionals should also note that these products do not have any materials that are of particular high value in their individual form.

---

## REACH Certificate of Compliance

---

The new EU chemicals policy REACH (**R**egistration, **E**valuation, **A**uthorization and restriction of **C**hemicals) came into effect on June 1st 2007. REACH is Europe's new chemicals legislation, which is applicable in all 27 EU Member States as well as the EFTA European Economic Area (EEA). REACH creates a new system for gathering information, assessing risks to human health and the environment, and authorizing or restricting the marketing and use of chemicals produced or supplied in the EEA. REACH has an impact on EEA producers and importers of finished products and users of chemicals in the course of industrial or professional activities.

WatchGuard supports the overall REACH objective of improving the protection of human health and the environment and will meet all applicable REACH requirements. WatchGuard is strongly committed to working with our customers and supply chain to define and implement the REACH requirements and ensure a smooth transition to compliance.

One of the REACH requirements is that manufacturers and importers have the duty to register substances they are producing or importing. In accordance with the regulations, the products of WatchGuard do not need to be registered for the following reasons:

1. WatchGuard does not import more than 1 metric ton per year of a substance as defined by REACH.
2. WatchGuard products are non-chemical products that are not designed to release any substance under normal and reasonably predictable application.
3. Our products do not contain the listed substances at more than 0.1% by weight of the whole product/part.

